

VIEW ON MATING SIDE

32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	
			A			A				A				A					A				A				A				A	

A = 8 STANDARD CONTACTS L = 3  
 C = 8 STANDARD CONTACTS L = 3  
 S = 16 TOTAL NUMBER OF CONTACTS

MARKING	STANDARD
PERFORMANCE LEVEL	G2/O = CONTACT AREA LEVEL2 / TERMINATION TIN
FLUX PROOF	NO
FIXING CLIP	YES
DIMENSIONS	SD-85003-0001 SHT 1

C	G2/O	c3,7,11,15,19,23,27,31
A	G2/O	a1,5,9,13,17,21,25,29
CONTACT SYMBOL	PERFORMANCE LEVEL	CONTACT POSITION NUMBER

EC NO. I. 2004-XXXX DRAWN: S. 09/09/03 CHK: G.L. 09/09/03 APPR: G.L. 09/09/03	QUALITY SYMBOLS MAJOR CRITICAL	GENERAL TOLERANCES: (UNLESS SPECIFIED): 4 PLACES ±0.15 ±.006 3 PLACES ±0.10 ±.004 2 PLACES ±0.08 ±.003 1 PLACE ±0.05 ±.002	SCALE [X] MM [ ] INCH	DESIGN UNITS [X] MM [ ] INCH	DIMENSIONS: [ ] MM [ ] INCH [X] MM ONLY [X] INCH ONLY	THIRD ANGLE PROJECTION [ ] FIRST ANGLE [X] THIRD ANGLE	SHEET REV REVISE ON CAD ONLY
	DESCRIPTION C	DRAWN BY & DATE S.S. 10/09/1999	CHECKED BY & DATE G.L. 10/09/1999	APPROVED BY & DATE G.L. 10/09/1999	CAD FILENAME SD-85003-3249.S01	MATERIAL NO. 85003-3249	DRAWING NO. SD-85003-3249
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.					