






PRODUCT NUMBER SEE SHEET 2



spec ref	*	dr	Peng-Bing Fu	2013/06/14	projection	MM	size	A3	scale	3:2	
tolerance std	ASME Y14.5	eng	Xie Bob	2013/08/12			ecn no		-		
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Li-He	2013/08/12			rel level		Released		
surface	<input checked="" type="checkbox"/> linear <input type="checkbox"/> angular	appr	Pei-Ming Zheng	2013/08/12	product family	PwrBlade+	rel level		Released		
ASME Y14.5	linear: 0.X ±0.5, 0.XX ±0.25, 0.XXX ±0.10 angular: 0° ±2°			cat. no.	4ACP + 12S + 6HP RA STB HEADER		dwg no	10106262-A003001		rev	A
www.fci.com					Product - Customer Drw		sheet 1 of 3				

PRODUCT NO.	ROWS	HIGH POWER SIGNAL					HIGH POWER					E2				
		E1	P1	P2	P3	P4	1	2	3	P5	P6		P7	P8	P9	P10
10106262-A003001LF	DCBA	HA	H1	H1	H1	H1	UUU	TTT	SSS	RRR	H1	H1	H1	H1	H1	HA



CODE	DESCRIPTION
HI	STD HIGH POWER CONTACT (3.43)
HA	METAL HOLD DOWN
R	STD SIGNAL CONTACT, ROW A (3.43)
S	STD SIGNAL CONTACT, ROW B (3.43)
T	STD SIGNAL CONTACT, ROW C (3.43)
U	STD SIGNAL CONTACT, ROW D (3.43)

dr	Peng-Bing Fu	2013/06/14	projection	MM	size	A3	scale	3:2	
eng	Xie Bob	2013/08/12			ecn no		-		
chr	Li-He	2013/08/12			rel level		Released		
appr	Pei-Ming Zheng	2013/08/12	product family		PwrBlade+		rel level		
			4ACP + 12S + 6HP			dwg no		10106262-A003001	
www.fci.com			RA STB HEADER			rev		A	
cat. no.				Product - Customer Drw				sheet 2 of 3	

Copyright FCI.

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.  
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:  
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.  
-SIGNAL CONTACT - COPPER ALLOY.  
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7)  $1.15 \pm 0.025$ MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn  
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A  $1.02 \pm 0.07$ MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.  
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.  
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.



Copyright FCI.

dr	Peng-Bing Fu	2013/06/14	projection 	MM 	size	A3	scale	3:2	
eng	Xie Bob	2013/08/12			ecn no	-			
chr	Li-He	2013/08/12			rel level	Released			
appr	Pei-Ming Zheng	2013/08/12	product family	PwrBlade+					
		4ACP + 12S + 6HP			dwg no	10106262-A003001		rev	A
www.fci.com		cat. no.	Product - Customer Drw		sheet 3 of 3				