


THIS DRAWING IS UNPUBLISHED.
 RELEASED FOR PUBLICATION
 BY AMP INCORPORATED. ALL RIGHTS RESERVED.

LOC	REV	DATE	DESCRIPTION	DATE	BY	APP'D
CE	16		REV PER EC 0A40-0096-03	20MAR03	DLF	TD

0.50	0.31±0.05	[12.0±2.0]	9-1278032-9
0.51	7.62±0.08	[300±3.0]	9-1278032-8
0.50	0.61±0.05	[24.0±2.0]	9-1278032-7
0.50	0.50±0.05	[19.7±2.0]	9-1278032-6
0.50	1.50±0.05	[59.1±2.0]	9-1278032-5
0.50	2.50±0.05	[98.4±2.0]	9-1278032-4
1.25	500.00±5.00	[19,658.03±196.9]	9-1278032-3
0.80	200.00±2.00	[7874.01±78.74]	9-1278032-2
0.65	100.00±1.00	[3937.01±39.37]	9-1278032-1
0.62	80.00±0.80	[3149.61±31.50]	8-1278032-0
0.61	76.00±0.76	[2992.13±29.92]	7-1278032-6
0.61	75.00±0.75	[2952.76±29.53]	7-1278032-5
0.60	68.00±0.68	[2677.17±26.77]	6-1278032-8
0.60	66.00±0.66	[2598.43±25.98]	6-1278032-6
0.59	61.0±0.6	[2402±24]	6-1278032-1
0.58	55.00±0.55	[2165.35±21.65]	5-1278032-5
0.58	50.00±0.50	[1968.50±19.69]	5-1278032-0
0.57	45.00±0.45	[1771.65±17.72]	4-1278032-5
0.56	40.00±0.40	[1574.80±15.75]	4-1278032-0
0.55	31.0±0.3	[1220.0±12.0]	3-1278032-1
0.55	30.00±0.30	[1181.10±11.81]	3-1278032-0
0.54	24.00±0.30	[944.88±11.81]	2-1278032-4
0.53	20±.3	[787±12.0]	2-1278032-0
0.52	15.0±0.15	[590.6±6]	1-1278032-5
0.52	13.0±0.15	[511.8±6.0]	1-1278032-3
0.52	12.0±0.15	[472.4±6.0]	1-1278032-2
0.52	10.0±0.15	[393.7±6]	1-1278032-0
0.51	8.0±0.15	[315.0±6.0]	1278032-8
0.51	7.0±0.08	[275.6±3]	1278032-7
0.51	6.0±0.08	[236.2±3]	1278032-6
0.51	5.0±0.08	[196.9±3]	1278032-5
0.51	4.0±0.08	[157.5±3.0]	1278032-4
0.50	3.0±0.05	[118.1±2.0]	1278032-3
0.50	2.0±0.05	[78.7±2.0]	1278032-2
0.50	1.0±0.05	[39.4±2.0]	1278032-1

CONNECTOR LOSS (dB) L PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DESIGNED BY O. KRAYBILL	DATE 01/28/99	 AMP Incorporated Harrisburg, PA 17105-3608
CHECKED BY J. SWARTZBAUGH	DATE 01/28/99	
DRAWN BY J. SWARTZBAUGH	DATE 01/28/99	TITLE CABLE ASSY, FIBER OPTIC, 62.5/125µm, TWIN ZIP RISER, MT-RJ TO MT-RJ, OPTIMATE
MATERIAL	WEIGHT	SIZE A2 00779 C 1278032
FINISH	CUSTOMER DRAWING	RESTRICTED TO SCALE NTS SHEET 2 OF 2 REV T